IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. **(Currently amended)** A portable computer system, comprising:
a bezel having a bezel flange contacting and supporting ~~adapted to support~~ a screen; and
an antenna disposed at least partially between the bezel flange and a portion of the screen.

2. **(Previously Presented)** The system of Claim 1, wherein the antenna comprises a conductive trace deposited on an interior surface of the screen.

3. **(Previously Presented)** The system of Claim 1, further comprising a display device disposed adjacent an interior surface of the screen.

4. **(Previously Presented)** The system of Claim 1, wherein the antenna extends a predetermined distance along an interior surface of the screen.

5. **(Original)** The system of Claim 1, wherein the antenna comprises a pattern portion.

6. **(Previously Presented)** The system of Claim 5, wherein the antenna comprises an extension portion extending from the pattern portion to a screen connector.

7. **(Previously Presented)** The system of Claim 1, wherein the antenna comprises an extension portion extending to at least two side areas of the screen.

8. **(Previously Presented)** The system of Claim 1, further comprising a screen connector adapted to conductively couple the antenna to an internal antenna circuit of the portable computer system.

9. **(Original)** The system of Claim 1, wherein the bezel is adapted to conductively couple the antenna to an internal antenna circuit of the portable computer system.

10. **(Original)** The system of Claim 1, wherein the bezel comprises a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

11. **(Currently amended)** A portable computer system, comprising:

means for contacting and supporting a screen; and

antenna means disposed at least partially between ~~a flange of~~ the supporting means and an interior surface of the screen.

12. **(Original)** The system of Claim 11, further comprising means for conductively coupling the antenna means to an internal antenna circuit of the portable computer system.

13. **(Original)** The system of Claim 11, further comprising means for conductively coupling the antenna means to the supporting means.

14. **(Previously Presented)** The system of Claim 11, wherein the antenna means comprises conductive means deposited on the interior surface of the screen.

15. **(Previously Presented)** The system of Claim 11, further comprising a display means disposed adjacent the interior surface of the screen.

16. **(Previously Presented)** A method of manufacturing a portable computer system, comprising:

providing a screen having an antenna disposed on an interior surface thereof; and

providing a bezel having a bezel flange adapted to support the screen, at least a portion of the antenna disposed between the bezel flange and the screen.

17. **(Original)** The method of Claim 16, further comprising conductively coupling the antenna to an internal antenna circuit of the portable computer system.

18. **(Previously Presented)** The method of Claim 16, wherein providing a screen comprises providing a screen having a pattern antenna portion disposed on the interior surface thereof.

19. **(Previously Presented)** The method of Claim 18, wherein providing a screen comprises providing a screen having an extension antenna portion extending from the pattern antenna portion to a screen connector.

20. **(Original)** The method of Claim 16, further comprising conductively coupling the antenna to the bezel.

21. **(Original)** The method of Claim 16, wherein providing a bezel comprises providing a bezel having a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

22. **(Previously Presented)** A portable computer system, comprising:
a screen;
a display device disposed adjacent an interior surface of the screen; and
an antenna disposed on the interior surface of the screen.

23. **(Original)** The system of Claim 22, wherein the antenna comprises a pattern portion.

24. **(Original)** The system of Claim 23, wherein the antenna comprises an extended portion extending from the pattern portion to a screen member connector.

25. **(Original)** The system of Claim 22, wherein the antenna is conductively coupled to an internal antenna circuit of the portable computer system.

26. **(Original)** The system of Claim 22, further comprising a bezel adapted to conductively couple the antenna to an internal antenna circuit of the portable computer system.

27. **(Previously Presented)** The system of Claim 22, further comprising a bezel having a flange disposed between the screen and the display device.

28. **(Original)** The system of Claim 22, further comprising a bezel having a conductive via conductively coupling the antenna to an internal antenna circuit of the portable computer system.

29. **(Previously Presented)** The system of Claim 22, wherein the antenna extends a predetermined distance on the interior surface of the screen.

30. **(Previously Presented)** The system of Claim 22, further comprising a bezel flange disposed between the screen and the display device, the antenna disposed between the bezel flange and the interior surface of the screen.

31. **(Currently amended)** A portable computer system, comprising:

a bezel flange adapted to support a screen, the screen having an antenna disposed thereon, the bezel flange having a conductive path extending therethrough to conductively couple [[an]] the antenna to an antenna circuit.

32. **(Previously Presented)** The system of Claim 31, further comprising an electrically conductive via formed in the bezel flange.

33. **(Previously Presented)** The system of Claim 31, further comprising a connector configured to conductively couple the antenna to a via formed in the bezel flange.

34. **(Previously Presented)** The system of Claim 31, wherein the bezel flange extends between the screen and a display device.

35. **(Previously Presented)** A portable computer system, comprising:

a screen; and

an antenna formed on the screen.

36. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace applied to a surface of the screen.

37. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace applied to an interior surface of the screen.

38. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace deposited onto a surface of the screen.

39. **(Previously Presented)** The system of Claim 35, wherein the antenna comprises at least one conductive trace deposited onto an interior surface of the screen.

40. **(Previously Presented)** The system of Claim 35, wherein the screen comprises a transparent screen.